

Table 1: Comparison of estimation strategy assumptions for identifying causal effects

Ordinary Least Squares	Matching
SUTVA	SUTVA
Linear	Non-parametric
$\mathbb{E}[X'\epsilon] = 0$ (No endogeneity)	$(Y_0, Y_1) \perp T X$ (Selection on observables)
ATE is estimated	$0 < \Pr(T_i = 1) < 1 \quad \forall i$ (Common support) in sample gives ATE
Consistent	Consistent
Unbiased	Biased
Estimated for whole population	Known subpopulation
Instrumental Variables	Regression Discontinuity
SUTVA	SUTVA
Linear outcome stage	Non-parametric
$\mathbb{E}[Z'\nu X] = 0$ (Ignorable treatment assignment)	The distribution $f_i(z_i)$ is continuous at $z_0$ or $(\beta_i, T_i) \perp z_i$ for $z_i$ near $z_0$
$\mathbb{E}[Z'\epsilon X] = 0$ (Exclusion restriction)	$z_i \perp Z_0$ , where $Z_0$ is the set of possible $z_0$
$\mathbb{E}[D_i(Z_i) - D_i(Z'_i)] \neq 0$ or $\text{Cov}(Z, X) \neq 0$ (Inclusion restriction)	$\lim_{z \rightarrow z_0^+} \mathbb{E}[D_i(z_i) z_i = z] \neq \lim_{z \rightarrow z_0^-} \mathbb{E}[D_i(z_i) z_i = z]$
$D_i(Z) \geq D_i(Z')$ or $D_i(Z) \leq D_i(Z')$ $\forall i \quad \forall Z, Z'$ (Monotonicity)	$\mathbb{E}[Y_1 z_i = z]$ is continuous at $z = z_0$ $\mathbb{E}[Y_1 z_i = z]$ is continuous at $z = z_0$
$\exists i : D_i(Z) \neq D_i(Z')$ gives the LATE	LATE
Homogeneous treatment effect gives the ATE	Homogeneous treatment effect gives the ATE
Consistent	Consistent
Biased	Biased
Unknown subpopulation	Known subpopulation